

P17946.A08

a server that transmits the management data to the terminal apparatus when a request for the management data is received from the terminal apparatus, the management data being displayable at the terminal apparatus.

505 C1 > 21. The communication apparatus according to claim 20, wherein said memory stores a plurality of e-mail data, and said generator generates a list of management data.

22. The communication apparatus according to claim 20, wherein said memory stores a TIFF file attached to the e-mail data.

23. The communication apparatus according to claim 20, wherein the management data includes at least a time at which the e-mail data corresponding to the management data is stored in said memory.

On 24. The communication apparatus according to claim 20, wherein the sender data comprises an origination address.

25. The communication apparatus according to claim 20, wherein the terminal apparatus comprises a personal computer with a display.

Ref 62 > 26. The communication apparatus according to claim 20, further comprising:
a scanner that scans a document to obtain image data;
a compressor that compresses the image data; and
a facsimile transmitter that transmits the compressed image data to a destination via a telephone network.

506 C1 > 27. The communication apparatus according to claim 20, further comprising:
a facsimile receiver that receives facsimile data via a telephone network; and

P17946.A08

a converter that converts the received facsimile data into a TIFF file;

wherein said memory stores the TIFF file, and said generator generates management data corresponding to the TIFF file as a structured document.

28. The communication apparatus according to claim 27, further comprising a determining section that determines whether the data was received via the network or the telephone network.

29. The communication apparatus according to claim 20, wherein said generator assigns a specific number to each management data, the specific number being utilized to identify each management data.

30. A communication apparatus connected to a terminal apparatus via a network, the communication apparatus comprising:

a receiver that receives e-mail data via the network;

a memory that stores the received e-mail data;

a generator that generates management data corresponding to the stored e-mail data, as a structured document, the management data including sender data of the e-mail data;

a server that transmits the management data to the terminal apparatus when a request for the management data is received from the terminal apparatus, the management data being displayable at the terminal apparatus; and

a controller that controls the stored e-mail data in accordance with a command transmitted from the terminal apparatus via the network.

P17946.A08

516 C1> 31. The communication apparatus according to claim 30, wherein said controller controls transmission of the stored e-mail data to a destination in accordance with the command from the terminal apparatus.

32. The communication apparatus according to claim 30, further comprising:
a converter that converts the stored e-mail data into image data; and
a printer that prints the converted image data;
wherein said controller controls printing of the converted e-mail data in accordance with the command from the terminal apparatus.

33. A communication method using a communication apparatus connected to a terminal apparatus via a network comprising:

receiving e-mail data via the network;
storing the received e-mail data into a memory of the communication apparatus;
generating management data corresponding to the stored e-mail data, as a structured document, the management data including sender data of the e-mail data; and
transmitting the management data to the terminal apparatus when a request for the management data is received from the terminal apparatus, the management data being displayable at the terminal apparatus.

516 C1> 34. The communication method according to claim 33, wherein the storing stores a plurality of e-mail data into the memory, and the generating generates a list of management data.

465 35. The communication method according to claim 33, wherein the storing stores a TIFF file attached in the e-mail data.

36. The communication method according to claim 33, wherein generating the management data includes generating at least a time at which the e-mail data corresponding to the management data is stored in the memory.

Sub C1) 37. The communication method according to claim 33, wherein the sender data comprises an origination address.

38. The communication method according to claim 33, wherein the terminal apparatus comprises a personal computer with a display.

a1 39. The communication method according to claim 33, further comprising:

scanning a document to obtain image data;

compressing the image data; and

transmitting the compressed image data to a destination via a telephone network.

40. The communication method according to claim 33, further comprising:

receiving facsimile data via a telephone network; and

converting the received facsimile data into a TIFF file;

wherein the TIFF file is stored into the memory, and management data corresponding to the TIFF file is generated as a structured document.

41. The communication method according to claim 40, further comprising determining whether the data is received via the network or via a telephone network.

42. The communication method according to claim 33, further comprising assigning a specific number to each management data, the specific number being utilized to identify each management data.

507 64 7 43. A communication method using a communication apparatus connected to a terminal apparatus via a network comprising:

receiving e-mail data via the network;

storing the received e-mail data into a memory;

Q generating management data corresponding to the stored e-mail data, as a structured document, the management data including sender data of the e-mail data;

transmitting the management data to the terminal apparatus when a request for the management data is received from the terminal apparatus, the management data being displayable at the terminal apparatus; and

controlling the stored e-mail data in accordance with a command transmitted from the terminal apparatus via the network.

505 C1 > 44. The communication method according to claim 43, wherein the controlling controls transmission of the stored e-mail data to a destination in accordance with the command from the terminal apparatus.

45. The communication method according to claim 43, further comprising:

converting the stored e-mail data into image data; and

printing the converted image data;